313	
R	
ECE	
NH.	

OIPE C	applicant opy o	59
FEB 2 7 2002	/ '	/
	OTHER REFERENCES	

		W. B. T.	HOEMARK
	Ex.	Doc #	Description (Author, Title, Date, Pertinent Pages, Etc.)
	9	A	SUGITA-KONISHI et al. "Epigallocatechin Gallate and Gallocateching Gallate in Green Tea Catechins Inhibit Extracellular Release of Vero Toxin from Enterohemorrhagic Escherichia coli O157:H7", Biochimise et Biophysica Acta 1472, pp.42-50, 1999.
51PE	R POLOS	В	GEJYO et al. "A New Form of Amyloid Protein Associated with Chronic Hemodialysis was Identified as β2-Microglobulin" Biochemical and Biophysical Research Communications, Vol. 129. No.3. pp.701-706. June 28, 1985.
PRADE	E STATE	С	GEJYO et al. "β2-microglobulin: A new form of amyloid protein associated with chronic hemodialysis," Kidney International, Vol. 30. pp.385-390, 1986.
		D	SARAIVA et al. "Studies on plasma transthyretin (Prealbumin) in familial Amyloidotic Polyneuropathy, Portuguese type", J. Lab. Clin. Medicine, Vol. 102, No.4, pp.590-603. October 1983.
		E	SARAIVA et al. "Amyloid fibril protein in Familial Amyloidotic Polyneuropathy, Portuguese Type", J. Clin. Invest. Vol. 74. pp.104-119, July 1984.
		F	TAWARA et al. "Amyloid fibril protein in type I Familial Amyloidotic Polyneuropathy in Japanese, J. lab. Clin. Med. pp.811-822. December. 1981.
		G	JOHNSON et al. "Islet amyloid, islet-amyloid polypeptide, and diabetes mellitus, The New England Journal of Medicine, Vol. 321. No.8, pp.513-518, Aug. 24, 1989.
		H	HARADA et al. "Human Amyloid Protein: Chemical Variability and Homogeneity", The Journal of Histochemistry and Cytochemistry, Vol. 19, No. 1. pp.1-15. June 30, 1970.
		I	MADIAS et al. "Familial Mediterranean Fever and Amyloidosis, Kidney International, Vol. 20, pp.676-685, 1981.
		J	BENSON et al. "Serum Amyloid A Protein in Amyloidosis, Rheumatic, and Neoplastic Diseases, Arthritis and Rheumatism, Vol. 22, No.1 pp.36-42. January, 1979.
		K	KAMEI et al. "Amyloidosis Associated with Juvenile Rheumatoid Arthritis, Acta Pathol. Jpn. Vol. 32. No.1, pp.123-133. 1982.
		L	PUCHTLER et al. "On the Binding of Congo Red by Amyloid, J. Histochem. Cytochem. Vol. 10, pp.355-364. Sept. 27, 1975.
		M	McADAM et al. "Association of Amyloidosis with Erythema Nodosum Leprosum Reactions and Recurrent Neutrophil Leucocytosin Leprosy", The Lancet, pp. 572-575. September 27, 1975.
		N	GLENNER et al. "Alzheimer Disease: Initial Report of the Purification and Characterization of a Novel Cerebrovascular Amyloid Protein," Biochemical and Biophysical Research Communications, Vol. 120, No.3, pp.885-890, May 16, 1984.
		0	HASHIMOTO et al. "Human Recombinant NACP/α-synuclein is Aggregated and Fibrillated in vitro: Relevance for Lewy Body Disease," Brain Research, Vol. 799, pp.301-306, 1998.
	29	P	PONTE et al. "A new A4 amyloid mRNA Contains a Domain Homologous to Serine Proteinase Inhibitors," Nature, Vol. 331, pp. 525-527. Feb. 11, 1988.

Say sprjor

	/ Q	WHO-IUIS Nomenclature Sub-Committee "Nomenclature of Amyloid an
699)		Amyloidosis," Bulletin of the World Health Organization, Vol. 71, No.1, pp.105-108, 1993.
	R	MASTERS et al. "Amyloid Plaque Core Protein in Alzheimer Disease and Down Syndrome," Medical Sciences, Vol. 82, pp.4245-4249. June 1985.
	S	KITAGUCHI et al. "Novel Precursor of Alzheimer's Disease Amyloid Protein Shows Protease Inhibitory Activity," Nature Vol. 331, pp.530-532 Feb. 1988.
° E	T	TANZI et al. "Protease Inhibitor Domain Encoded by an Amyloid Protein Precursor mRNA Associated with Alzheimer's Disease," Nature, Vol. 337 pp.528-530. Feb. 1988.
1 2012	Ü	PARDRIDGE et al. "Amyloid Angiopathy of Alzheimer's Disease: Amin Acid Composition and Partial Sequence of a 4,200-dalton Peptide Isolated from Cortical Microvessels," Journal of Neurochemistry, Vol. 49, No.5, pp.1394-1401. 1987.
RADIMARIT	V	MANDYBUR et al. "Cerebral Amyloid Angiopathy: The Vascular Pathology and Complications," Journal of Neuropathology and Experimental Neurology, Vol. 45, No. 1, pp.79-90, Jan. 1986.
	W	PIKE et al. "Structure-activity Analyses of β-Amyloid Peptides: Contributions of the β25-35 Region to Aggregation and Neurotoxicity," Journal of Neurochemistry, Vol. 64, pp.253-265, 1995.
	X	PIKE et al. "In Vitro Aging of β-amyloid protein causes peptide aggregation and neurotoxicity," Brain Research, Vol. 563, pp.311-314, 1991.
	Y	GAMES et al. "Alzheimer-type Neuropathology in Transgenic Mice Overexpressing V717F β-amyloid Precursor Protein," Nature, Vol. 373. pp.523-537. Feb. 9, 1995.
	Z	HARRIGAN et al., "Beta Amyloid is Neurotoxic in Hippocampal Slice Cultures," Neurobiology of Aging, Vol. 16, No.5, pp.779-789. 1995.
	AA	HAASS et al, "The Swedish Mutation Causes Early-onset Alzheimer's Disease by β-secretase Cleavage within the Secretory Pathway," Nature Medicine, Vol. 1, No.12, pp.1291-1296, 1995.
	BB	BROECKHOVEN et al, "Amyloid B Protein Precursor Gene and Hereditary Cerebral Hemorrhage with Amyloidosis (Dutch)" Science, Vol 248. pp.1120-1121. June. 1990.
	CC	MURRELL et al, "A Mutation in the Amyloid Precursor Protein Associated with Hereditary Alzheimer's Disease," Science, Vol. 25, pp.97 99. Oct 4, 1991.
	DD	FLOOD et al., "An Amyloid β-protein Fragment, Aβ[12-28], Equipotentl Impairs Post-training Memory Processing When Injected into Different Limbic System Structures," Brain Research Vol. 663, pp.271-276. 1994.
	EE	FLOOD et al., "Amnestic Effects in Mice of Four Synthetic Peptides Homologous to Amyloid β-protein From Patients with Alzheimer's Disease," Proc. Natl. Acad. Sci. Vol.88, pp.3363-3366. 1991.
	FF	POLYMEROPOULOS et al., "Mutation in the α-synuclein Gene Identified in Families with Parkinson's Disease," Science Vol. 276. pp.2045-2047. June 27, 1997.
8	GG	SPILLANTINI et al., "α-Synuclein in Filamentous Inclusions of Lewy Bodies from Parkinson's Disease and Dementia with Lewy bodies," Proc. Natl. Acad. Sci. Vol. 95, pp.6469-7473, May 1998.

20 2/ssfor

		/	
!	40	НН	WOOD et al. "α-Synuclein Fibrillogenesis is Nucleation-dependent," The Journal of Biological Chemistry, Vol. 274, No.28, pp.19509-19512, Jul. 1999.
		II	UEDA et al. "Molecular Cloning of cDNA Encoding an Unrecognized Component of Amyloid in Alzheimer Disease," Proc. Natl. Acad. Sci. Vol. 90, pp.11282-11286, Dec.1993.
		JJ	Vol. 90, pp.11282-11286, Dec.1993. KRUGER et al. "Ala30 Pro mutation in the Gene Encoding α-synuclein Parkinson's Disease," Nature Genetics, Vol. 18, pp.106-108, Feb.18,198
125		KK	KLUNK et al. "Quantifying Amyloid β-peptide (Aβ) Aggregation Using the Congo red-Aβ (Cr-Aβ) Spectrophotometric Assay," Analytical Biochemistry, Vol. 266, pp.66-76, 1999.
772002	CE WAY	LL	CONWAY et al. "Accelerated in Vitro Fibril Formation by a Mutant α-synuclein Linked to Early-onset Parkinson Disease," Nature Medicine, Vol. 4. No.11, pp.318-320. Sept. 1998.
ď	John Jake	MM	NAIKI et al. "Kinetic Analysis of Amyloid Fibril Polymerization in Vitro," Laboratory Investigation, Vol. 65, No.1, pp.104-110, 1991.
TRADEMA		NN	NAIKI et al. "First-order Kinetic Model of Alzheimer's \(\beta\)-amyloid Fibril Extension in vitro," Laboratory Investigation, Vol. 74, No.2. pp.374-383, Feb. 1996.
		00	ARAI et al. "Argyrophilic Glial Inclusions in the Midbrain of Patients with Parkinson's Disease and Diffuse Lewy Body Disease are Immunopositive for NACP/α-synuclein," Neuroscience Letters, Vol. 259, pp.83-86, 1999.
		PP	POLLANEN et al. "Pathology and Biology of the Lewy body," Journal of Neuropahtology and Experimental Neurology, Vol. 52, No.3, pp.183-191, May, 1993.
		QQ	HSIAO et al. "Correlative Memory Deficits, Aß elevation and Amyloid Plaques in Transgenic Mice," Science, Vol. 274, pp.99-102. Oct. 4, 1996.
		RR	NARHI et al. "Both Familial Parkinson's Disease Mutations Accelerate α-Synuclein Aggregation," Vol. 274, No.14, pp.9843-9846, Apr. 1999.
		SS	LEVINE III et al. "Thioflavine T interaction with Synthetic Alzheimer's Disease β-amyloid Peptides: Detection of Amyloid Aggregation in Solution," Protein Science, Vol. 2, pp.404-410, 1993.
:		TT	VIRGINIA et al. "A68: A Major Subunit of Paired Helical Filaments and Derivatized Forms of Normal Tau," Science, Vol. 251. pp.675-678. Feb. 1991.
		טט	KOSIK et al. "Microtubule-associated Protein tau (') is a Major Antigenic Component of Paired Helical Filaments in Alzheimer Disease," Proc. Natl. Acad. Sci, Vol. 83, pp.4044-4048, Jun. 1986.
		VV	GRUNDKE-IQBAL et al. "Abnormal Phosphorylation of the Microtubule-Associated Protein (tau) in Alzheimer Cytoskeletal Pathology," Proc. Natl. Acad. Sci. Vol. 83, pp.4913-4917, Jul. 1986.
		WW	CUTLER et al. "Tacrine in Alzheimer's Disease," The New England Journal of Medicine," Vol. 328, No.11, pp.808-810, Mar. 18, 1993.
		XX	HARDY et al. "Framing β-amyloid," Nature Genetics Vol. 1, pp.233-234, Jul. 1992.
		YY	CASTILLO et al. "Perlecan Binds to the β-Amyloid Proteins (Aβ) of Alzheimer's Disease, Accelerates Aβ Fibril Formation, and Maintains Aβ Fibril Stability," Journal of Neurochemistry, Vol. 69, pp.2452-2465, 1997.
	SAS	ZZ	BARNER et al. "Donepezil use in Alzheimer disease," The Annals of Pharmacotherapy, Vol. 32, pp.70-77, Jan. 1998.

/.

SS Sprfor

SA) AAA	LeVINE III et al. "Thioflavine T interaction with Amyloid β-sheet Structures," Amyloid Intl. Exp. Clin. Invest. Vol. 2, pp.1-6, 1995.
BBB	SHIN-YA et al. "Antioxidant Protects the Nervous System Diminishing β-amyloid Peptide Toxicity by Catechin," Kagaku to Seibutsu (Chemistry and Biology), Vol. 38, No. 4, 212-214, 2000.

It is respectfully requested that the Examiner indicate consideration of the citedreferences by returning a copy of the attached Information Disclosure Citation with initials or other appropriate marks.

Tel. No. (206) 343-7074 P16-IDS.DOC

Respectfully submitted,

PATRICK MICHAEL DWYER Reg. No. 32,411

PATRICK M. DWYER PROTEOTECH, INC. 1818 WESTLAKE AVENUE N, SUITE 114 SEATTLE, WA 98109

